

1 GRANDE PRAIRIE

Mile 52.3 Junction Switch with Grande Cache Sub. may be left lined and locked in either position.

2 RYCROFT

Rule 112 (iv) - Mile 2.6 - Agricore elevator track TA 05. Minimum number of handbrakes that must be applied is double that shown in the Handbrake Chart.

3 SEXSMITH

Six axle locomotives are prohibited from operating over south switch Elevator Track TA 31, mile 36.29.

4 APPLICABLE ON SUBDIVISION

(a) Radio System

Mile From	To	Phone Access Code	Repeater Access Code	Phone Number	Site Speed Dial
00.0 -	25.0	*352	0352	780-765-2442	*4
25.0 -	40.0	*36	036	780-568-2444	*3
40.0 -	60.0	*205	0205	780-513-6444	None
60.0-	89.4	*64	064	780-766-2440	*2

After receiving Dial Tone:

To connect to the RTC *1

To broadcast an Emergency *9

(b) Heaviest car permitted - 263,000 lbs.

Exceptions

Mile 15.0 to Mile 44.0 Trains handling cars exceeding 250,000 lbs. gross tons 15 mph

Mile 25.0 to Mile 44.0 Trains handling cars exceeding 220,000 lbs. gross tons 15 mph

(c) Locomotive weight restriction - Due to 60-lb. rail conditions on other than main track:

Mile 49.5 and Mile 52.0

Mile 87.0 and Mile 89.4

Locomotives are restricted to a maximum of 5 mph.

Operating crews must use as low a throttle position and minimize traction effort when locomotives are operated on these tracks. This restriction is not applicable on connecting track between Mile 0.0 and Mile 0.5 and between Mile 44.0 and Mile 49.5

(d) Unless otherwise authorized, locomotives in Groups A (six axles) are prohibited from operating between Mile 49.5 and Mile 138.0

(e) Trains handling loaded tank cars, exceeding 65 feet in length, are restricted to 20 mph between mile 52.0 and mile 87.0.

(f) Trains handling Anhydrous Ammonia are restricted to 10 mph on curves.

(g) Rule 105(a) applicable on subdivision track.

5 SPEEDS

MILE		MPH
0.0 TO 44.0	**ZONE**	**25**
10.2 TO 10.4	BRIDGE	15
52.0 TO 87.0	**ZONE**	**25**
72.8 TO 72.9	BRIDGE	10

6 SPECIAL INSTRUCTIONS APPLICABLE ON SPURS AND OTHER TRACKS

Mile 0.0 - Rycroft Spur - Extends 17.7 miles eastward from Rycroft Jct to Mile 334.6 and Extends 4.6 miles westward from Rycroft Jct to Mile 356.9 Spur mileages are identified as mile points between End of Operated track at Mile 334.6 (furthest east mileage) and westward to End of Operated track at Mile 356.9 (furthest west mileage) Rycroft Jct on the Rycroft Spur is located at Mile 352.3
Special Instructions
TGBO applicable.
Rule 104 (c) Mile 348.8 – Cargill, West switch Track JB 16 (fertilizer track) is in normal position when lined for Track JB17 (elevator track).
Rule 105 and Rule 105(a) applicable

GRANDE PRAIRIE SUBDIVISION

Radio System

Mile	Phone Access Code	Repeater Access Code	Phone Number	Site Speed Dial
335.0-356.9	*352	0352	780-765-2442	4

After receiving Dial Tone:
To connect to the RTC *1
To broadcast an Emergency *9

Heaviest car permitted – 263,000 lbs.

Locomotive Restrictions: Unless otherwise authorized, six axle locomotives are prohibited between mile 334.6 and mile 347.0 and between mile 352.3 and mile 356.9.

Speed

335.2 to 351.0	Zone	25
343.0 to 347.0	Bridge	10

Public Crossing At Grade

Mile 340.09 - Due to possibility of rusty rail conditions, movements must not enter public crossing at grade (Highway 49) until automatic warning devices have been in operation for twenty seconds or manual protection of the crossing has been provided.