

WESTWARD TRAINS

FIRST CLASS

GUELPH
SUBDIVISION

STATIONS

667

Passenger

Daily

85

Passenger

Daily

665

Passenger

Daily

663

Passenger

Daily

661

Passenger

Daily Ex
Sunday

Miles from Toronto

Yard Limits

2359

1901

1706

1135

0840

30.0

30.9

.....SILVERPXZ
Junction with Halton Sub.

3.8

0006

1909

1714

1143

0848

33.8

30.9

.....LIMEHOUSEP

1.8

0012

1915

1720

1149

0854

35.6

30.9

.....ACTONP

6.1

S0021

S1925

S1730

S1200

S0903

41.7

47.7

.....ROCKCUTP

7.1

0027

1931

1736

1206

0909

48.8

47.7

.....GUELPH*KPZ

1.0

0032

1931

1736

1206

0909

49.5

49.8

Jct. with Fergus Sub.

4.1

0036

1940

1745

1215

0918

49.8

51.0

.....GUELPH JCT.PYZ

4.1

S0045

S1950

S1748

S1225

S0927

53.9

51.0

.....MOSBOROUGHP

4.5

0053

1958

1803

1233

0935

58.4

59.0

.....BRESLAU

4.3

0058

2003

1808

1238

0940

62.7

64.1

.....KITCHENER*KPYZ

6.5

0104

2009

1814

1244

0946

69.2

72.5

.....PETERSBURGP

3.3

S0115

S2017

S1822

S1253

S0953

75.0

87.1

.....BADEN

2.5

S0115

S2017

S1822

S1253

S0953

82.1

88.5

.....NEW HAMBURG

7.1

S0115

S2017

S1822

S1253

S0953

88.6

88.5

.....SHAKESPEAREP

6.5

S0115

S2017

S1822

S1253

S0953

88.6

88.5

.....STRATFORD C*KPWXYZ

Main track ends at mileage 88.5. Rule 105
applies between mileage 88.5 and mileage 88.6.
Section 12 Form 835 applicable.

667**85****665****663****661**

GUELPH SUBDIVISION FOOTNOTES

1 RULE MODIFICATIONS

1.1 CLEARANCES

SILVER—Trains to Guelph Subdivision must obtain clearance at Georgetown O.K.'d by Train Dispatcher D, London.

STRATFORD—Clearance for trains operating to Halton Sub. must also be OK'd by Train Dispatcher YA or YO MacMillan Yard.

1.2 TRAIN REGISTER MODIFICATIONS

GUELPH—*Register station for Guelph Sub. trains originating or terminating.

KITCHENER—*Register station for trains originating or terminating.

STRATFORD—*All through trains may register by register ticket.

1.3 SPECIAL INSTRUCTIONS APPLY—

SYSTEM 1.3—in the city of Guelph, mileage 45.9 to mileage 51.6. (R-692)

SYSTEM 1.3—in the city of Kitchener, mileage 61.7 to mileage 64.1 (B.T.C. 57629).

SYSTEM 1.8—at Guelph.

SYSTEM 1.8—at Guelph Jct.

SYSTEM 1.8—at Kitchener.

SYSTEM 1.10(d).

1.4 OTHER MODIFICATIONS

RULE 14(m) paragraph one—not applicable.

RULE 5—Guelph—the time of first class trains applies at the station.

RULE 5—Kitchener—the time of first class trains applies at the station.

2 GENERAL FOOTNOTES

2.1 Except for the train dispatching function the territory between mileage 35.0 and Silver is under the jurisdiction of the Toronto Division.

2.2 SILVER—Conductors on westward first class trains will report departure from Silver to the Operator at Georgetown by radio to be recorded and reported to Train Dispatcher D, London.

2.3 MILEAGE 33.5—Whistle post for eastward trains passing over public crossing mileage 33.5, is located ¼ mile west of the crossing on the north side of track.

2.4 GUELPH—*Siding extends from mileage 48.5 to mileage 49.8.

2.5 KITCHENER—North Siding—North of main track extends from mileage 60.3 to crossover just east of King St., mileage 63.0 (fourth west of station). South siding—First track south of main track extends between mileage 62.1 and mileage 62.5.

2.6 STRATFORD—Connection between Guelph and Newton Subdivisions is via yard track.

2.7 STRATFORD—Connection between Guelph and Drumbo Subdivisions is via yard track.

3 EQUIPMENT RESTRICTIONS

3.1 Cars exceeding 263,000 lbs. gross must be covered by handling instructions.

Continued

GUELPH SUBDIVISION	Office Signals	Siding Capacity in Feet	EASTWARD TRAINS							
			FIRST CLASS							
			660 Passenger	662 Passenger	664 Passenger	666 Passenger	668 Passenger			
STATIONS										
SILVER Junction with Halton Sub. 3.8			0758	1108	1408	1836	2213			
LIMEHOUSE 1.8		Yard								
ACTON 6.1		2670	0751	1101	1401	1829	2206			
ROCKCUT 7.1		2530	0745	1055	1355	1823	2200			
GUELPH 1.0 Jct. with Fergus Sub. GUELPH JCT.	G F	*4800	S0737	S1047	S1347	S1815	S2152			
4.1		Yard	0729	1039	1339	1807	2144			
MOSBOROUGH 4.5		1550	0725	1035	1335	1803	2140			
BRESLAU 4.3		1070								
KITCHENER 6.5	B R	S1347 N13546	S0715	S1025	S1325	S1748	S2130			
PETERSBURG 3.3		1500	0703	1015	1314	1736	2118			
BADEN 2.5		930								
NEW HAMBURG 7.1		3140	0658	1010	1308	1731	2113			
SHAKESPEARE 6.5		1020	0652	1003	1301	1725	2107			
STRATFORD	O D	Yard	S0645	S0953	S1253	S1718	S2100			
Main track ends at mileage 88.5. Rule 105 applies between mileage 88.5 and mileage 88.6. Section 12 Form 835 applicable.			Daily	Daily Ex. Sunday	Daily	Daily	Daily			
			660	662	664	666	668			

Continued

GUELPH SUBDIVISION FOOTNOTES

4	Mileage	SPEEDS	MILES PER HOUR		Mileage		MILES PER HOUR	
			Passenger Railiner	Freight & Mixed			Passenger Railiner	Freight & Mixed
4.1	30.0 to 88.6 zone		70	55	62.8	(Duke St.) second west of station. (B.T.C. 69378) until crossing occupied	10	10
	35.5 to 35.7 Westward movements		45	35	63.4	(Park St.) fifth west of station	50	50
	35.8 to 30.5 Eastward movements		45	35	63.5	(Strange St.) sixth west of station—movements approaching	55	55
	48.8 to 49.8		10	10	88.5	Over switches	10	10
49.5	(Edinburgh Rd.) westward movements on siding until crossing occupied		5	5				
49.8	(Alma St.) westward movements on other than main tracks until crossing occupied		5	5				
62.1	(Lancaster St.) third east of station. Through movements over crossing		20	20				
62.3	(St. Leger St.) second east of station. (B.T.C. 66621) until crossing occupied		10	10				
62.6	(Ahrens St.) first east of station. (B.T.C. 71327) until crossing occupied		10	10				
62.7	(Weber St.) first west of station. (B.T.C. 61571) until crossing occupied		10	10				
					4.2	CONDITIONAL SPEEDS	Miles Per Hour	
					35.7	(Mill St.). Main track—eastward movements stopped within 700 feet or westward movements stopped within 550 feet of crossing when again proceeding until occupied	10	
					49.3	(Yorkshire Rd.)—eastward movements on siding having stopped west of crossing and then proceeding over crossing—until crossing occupied	5	

Continued

Continued

GUELPH SUBDIVISION FOOTNOTES

Mileage	Miles Per Hour
---------	----------------

49.5 (Edinburgh Rd.)—eastward movements on main track or siding having stopped immediately west of crossing and then proceeding over crossing—until crossing occupied	5
62.1 (Lancaster St.) third east of station, westward movements having stopped at crossing circuit sign—until crossing occupied	10
62.3 (St. Leger St.) north and south sidings—until crossing occupied	5
72.4 (Schneider Rd.)	
72.5 (Mill St.)	
Movements stopped in vicinity of these crossings and then proceeding over crossing—until crossing occupied.	
(B.T.C. 113183)	5

5 PUBLIC CROSSINGS AT GRADE

- 5.1 **Mileage 35.5** (Eastern Ave.). Item 1.21 Form 696 applies.
Main Track—Eastward movements stopping within 600 feet west of crossing (timing circuit) must press Start pushbutton in southwest corner of crossing.
- 5.2 **Mileage 35.7** (Mill St.). Item 1.21 Form 696 applies.
Cars must not be left standing on any track less than 200 feet from this crossing.
- 5.3 **Mileage 41.3** (Main St.). Item 1.21 Form 696 applies.
- 5.4 **Mileage 49.5** (Edinburgh Rd.). Item 1.21 Form 696 applies.
Siding—Eastward movements stopping on timing circuit which extends from 50 to 250 feet west of crossing must press Lower pushbutton southwest of crossing.
- 5.5 **Mileage 49.8** (Alma St.). Item 1.21 Form 696 applies.
Westward main track movements having switched track XW30 must back east of fouling point (200 feet east of track XW30 switch) before proceeding toward crossing.
Switching movements must not be made over this crossing between the hours of 0845 and 0900, 1145 and 1200 and 1545 and 1600 except in case of emergency. This does not apply to through movements.
- 5.6 **Mileage 62.1** (Lancaster St.). Item 1.21 Form 696 applies.
Main Track—Westward movements stopping to switch must stop immediately east of "crossing circuit" sign, 300 feet east of crossing and press Raise pushbutton south of main track at that location.
- 5.7 **Mileage 62.6** (Ahrens St., first east of station).
Mileage 62.7 (Weber St., first west of station).
Mileage 62.8 (Duke St., second west of station).
Mileage 62.9 (Waterloo St., third west of station).
Mileage 63.0 (King St., fourth west of station).
Controlled by Gateman in King St. tower. Pushbuttons located at each crossing and also on station platform. Movements stopped on main track between crossings or movements on other than main track, must press appropriate pushbutton to request operation of protection unless it is known that crossing protection devices are operating and will continue so until the crossing is occupied.
- 5.8 **Mileage 63.4** (Park St.). Item 1.21 Form 696 applies.
A timing circuit extends from timing circuit sign located 1000

feet east of crossing to 1850 feet east of crossing. Westward movements stopping to switch must cut train on timing circuit.

- 5.9 **Mileage 69.2** (County Rd. No. 6). Item 1.21 Form 696 applies.
Westward movements stopping to switch must cut train on timing circuit which extends from 450 to 650 feet east of crossing and when recoupled if head end of leading portion is between timing circuit and crossing start pushbutton located 500 feet east of crossing must be pressed.
- 5.10 **Mileage 72.4** (Hwy. No. 7). Item 1.21 Form 696 applies.
- 5.11 **Mileage 72.5** (Mill St.). Item 1.21 Form 696 applies.

6 SPURS AND OTHER TRACKS**6.1 INDUSMIN****Mileage 33.8**—(Limehouse).

Maximum speed through turnouts at east end of No. 1 and No. 2 tracks, 10 miles per hour.

6.2 BRIDGEPORT**Mileage 62.0**—Extends northward 0.8 miles off north siding, switch points face west.**EQUIPMENT RESTRICTIONS**

Heaviest auxiliary crane permitted—200 ton.

Maximum speed—10 miles per hour.

6.3 WATERLOO**Mileage 62.5**—Extends 11.8 miles northward, switch points face east.**SPECIAL INSTRUCTIONS APPLY****SYSTEM 1.3**—in the city of Kitchener, mileage 0.0 to mileage 0.9 (B.T.C. 57629).**SYSTEM 1.3**—in the city of Waterloo, mileage 0.9 to mileage 3.1. Northward movements only at mileage 3.14 Columbia St. (B.T.C. 73541).**EQUIPMENT RESTRICTIONS**

Units in series 2000, 2300, 3150, 5000, 5100, 5200, 6500, 6600, 6700 and 6800 are prohibited.

In emergency, units in series 2500, 3200, 4000, 5500, 5600, 9400, 9500 and 9600 may be operated 10 miles per hour below zone speed. Where zone speed is only 10 miles per hour units may operate at 10 miles per hour.

These restrictions apply to foreign units of the same weight.

Heaviest auxiliary crane permitted 160 ton.

Cars exceeding 263,000 lbs. gross must be covered by handling instructions.

MAXIMUM SPEED

Mileage	Miles Per Hour
0.0 to 2.0 zone	10
0.3 (Louisa St.) (B.T.C. 78220)	10
0.4 (Wilhelm St.) (B.T.C. 80532)	10
0.9 to 1.6 Public crossing at grade (B.T.C. 73335)	5
1.8 (King St.) second north of station	5
2.0 to 11.8 zone	25
2.0 to 11.8 Cars in excess of 220,000 lbs. gross	10
7.8 Viaduct—trains handling loaded ore cars	15

Continued

Continued

GUELPH SUBDIVISION FOOTNOTES**PUBLIC CROSSINGS AT GRADE**

Mileage 0.3 (Wellington St.). Item 1.21 Form 696 applies.

Mileage 1.7 (Regina St.).—All movements must be brought to a stop and movement over crossing protected by a member of the crew. (B.T.C. 73335).

Mileage 1.8 (King St.).—All movements over this crossing must be brought to a stop and movement protected by a member of the crew. (B.T.C. 60070).

Mileage 1.9 (Caroline St.)

Mileage 1.9 (Erb St.) Item 1.21 Form 696 applies.

Stop sign located each side of crossing. A white flashing light located in centre of intersection will operate when all street lights are at stop. (Red). All movements over crossing must be protected by a member of the crew. (B.T.C. 73335, R-26729).

Mileage 11.4—Whistle post for southward trains passing over public crossing at grade, mileage 11.4 is located ¼ mile north of crossing on east side of track.

CANADA BARRELS AND KEGS

Extends westward from mileage 2.1 (North) Waterloo Spur to interchange tracks, switch points face south.

NON-INTERLOCKED

Track M. 43 crosses Grand River Railway.

6.4

HURON PARK

Mileage 62.8—Extends 5.5 miles southward, switch points face east.

SPECIAL INSTRUCTIONS APPLY—

System 1.3—in the city of Kitchener, mileage 0.1 to mileage 2.6 (B.T.C. 57629), mileage 3.2 (Hayward Avenue), mileage 3.9 (Balzer Road), mileage 4.4 (Bleams Road), mileage 5.5 (Manitou Drive) (R-21467).

NON-INTERLOCKED

Crossing Grand River Railway, mileage 1.2 (B.T.C. 83209).

EQUIPMENT RESTRICTIONS

Units in series 2000, 2300, 5000, 5100 and 5200 prohibited beyond mileage 5.1.

Cars exceeding 263,000 lbs. gross must be covered by handling instructions.

MAXIMUM SPEED

Mileage	Miles Per Hour
0.1 to 5.5	10
4.5 (Bleams Rd.) Northward trains	5

PUBLIC CROSSINGS AT GRADE

Mileage 1.4 (Queen St.). Item 1.21 Form 696 applies.

Mileage 1.6 (Mill St.). Item 1.21 Form 696 applies.

Mileage 2.5 (Ottawa St.). Item 1.21 Form 696 applies.

Mileage 5.47 (Manitou Drive). Item 1.21 Form 696 applies.

GENERAL FOOTNOTES

Joint section G.R.R. extends from mileage 1.6 to mileage 3.3. Normal position of spring switch at North Jct. at mileage 1.6 is for C.N.R. through movements. Low color light signal governs facing point movements over spring switch. Permission to enter joint section must be obtained from G.R.R. Train Dispatcher who must also be advised when movement is clear of joint section.

6.5

CHARLES ST.

Extends 0.4 miles eastward, from mileage 0.5 Huron Park Spur switch points face south.

NON-INTERLOCKED

Crossing with G.R.R.—Mileage 0.2 on Victoria St. corner Charles St. Industrial spur of G.R.R. crosses two industrial tracks of C.N.R. and on Joseph St. near Victoria St. G.R.R. crosses one industrial track of C.N.R.

6.6

UNIROYAL

Mileage 63.8—Maximum speed on tracks J-60 and J-70, 5 miles per hour.